

Nordic Plus - nastavení Wi-Fi routeru


Základní nastavení routeru ZTE H6645P pro přístup k internetu.

Návod na nastavení Wi-Fi routeru k pevné přípojce internetu Nordic Plus. Postup platí jen pro nastavení routeru u technologie připojení DSL nebo optika od partnerské společnosti CETIN.

- Zapojíte router ZTE H6645P a přes LAN1 port připojíte notebook nebo stolní počítač. Alternativou je připojení přes WiFi síť, název sítě a heslo najdete na spodní straně routeru.
- Do internetového prohlížeče (např. Microsoft Edge, Google Chrome) napište do pole pro zadávání webových adres: **192.168.1.1**
- Následně se přihlásíte do routeru prostřednictvím těchto údajů:

Username: **admin**

Password: **Haikui_V2**



The screenshot shows the ZTE H6645P V2 web interface. At the top left is the ZTE logo. Below it is a navigation bar with the following tabs: Home, Topology, Internet, Local Network, VoIP, and Management & Diag. The main content area displays a login form titled "Welcome to H6645P V2. Please login." The form includes a lock icon, a Username field with the value "admin", a Password field with masked characters "*****", and a blue Login button.

Po prvním přihlášení je možné nastavit nové heslo. V případě, že nechcete heslo změnit, zvolte CANCEL.

Welcome to H6645P V2

Note: For security, please modify the initial password.

A strong password should match these rules:

1. It should have at least 8 characters.
2. It should be composed of digits, alphabet and special symbols.
3. It should not have context relationship with the username, such as the same or inverse.

Username:

New Password:

Confirmed Password:

V horní záložce vyberte INTERNET a v levém menu zvolte WAN.

ZTE Current Time: 1970-01-01T00:18 admin Logout

Home Topology **Internet** Local Network VoIP Management & Diagnosis

Status **WAN** QoS Security Parental Controls DDNS SNTP Port Binding Multicast

Ethernet 3G

Page Information

This page provides the function of Ethernet connection parameter(s) configuration.

▼ Ethernet Connection

New Item Detail

Connection Name:

Type:

Service List: INTERNET TR069 VoIP IPTV

MTU:

Link Type:

PPP Transfer Type:

PPP

Username:

Password:

IP Version:

VLAN: On Off

Novou položku WAN vyplňte následovně:

- 1) Connection Name: **WAN_Internet**
- 2) PPP sekce se vyplní Username: **nordic**, Password: **nordic**
- 3) VLAN zakliknete: **on**
- 4) VLAN ID doplňte hodnotu: **848**
- 5) Potvrdíme tlačítkem **Apply**

Page Information

This page provides the function of Ethernet connection parameter(s) configuration.

▼ Ethernet Connection

▼ New Item Detail

Connection Name	<input type="text" value="WAN_Internet"/>
Type	<input type="text" value="Routing"/>
Service List	<input checked="" type="checkbox"/> INTERNET <input checked="" type="checkbox"/> TR069 <input checked="" type="checkbox"/> VoIP <input type="checkbox"/> IPTV
MTU	<input type="text" value="1492"/>
Link Type	<input type="text" value="PPP"/>
PPP Transfer Type	<input type="text" value="PPPoE"/>
PPP	
Username	<input type="text" value="nordic"/>
Password	<input type="password" value="....."/>
IP Version	<input type="text" value="IPv4"/>
VLAN	<input checked="" type="radio"/> On <input type="radio"/> Off
VLAN ID	<input type="text" value="848"/>

Následně přejděte v menu na položku Port Binding:

- 1) Rozklikněte **WAN_Internet**
- 2) Klikněte na položku **All On**
- 3) Potvrďte tlačítkem **Apply**

The screenshot shows the ZTE web management interface. At the top left is the ZTE logo and the current time: 1970-01-01T00:43. At the top right are the user 'admin' and a 'Logout' link. Below this is a navigation bar with tabs: Home, Topology, Internet, Local Network, VoIP, and Management & Diagnosis. On the left is a sidebar menu with items: Status, WAN, QoS, Security, Parental Controls, DDNS, SNTP, Port Binding (highlighted with a red box), and Multicast. The main content area is titled 'Page Information' and contains the text: 'This page provides the function of port binding parameter(s) configuration.' Below this is a section titled 'Port Binding' with a dropdown menu showing 'Route_3G' and 'WAN_Internet' (highlighted with a red box). Under 'WAN_Internet', there is a list of checkboxes for LAN1-4, SSID1-8, APCLI1, APCLI5G1, SSID9, and SSID10, all of which are checked. At the bottom of this section, there are two buttons: 'All On' (highlighted with a red box) and 'All Off'. To the right of these buttons are 'Apply' and 'Cancel' buttons. At the bottom of the page, there is a footer: '©2008-2022 ZTE Corporation. All rights reserved | H6645P V2 V2.1.0P1N1_TY'.